

Amendments to the Claims:

This listing of claims will replace all prior versions and listing of claims in the application:

5

Claim 1 (currently amended): A method for installing a vehicle disablement system comprising:

~~receiving a vehicle for performing a government required inspection; and~~
installing the vehicle disablement system on said vehicle.

10

Claim 2 (currently amended): The method of Claim 1 wherein the step of ~~receiving a vehicle for performing a government required inspection~~ comprises ~~receiving a vehicle for performing an~~ emission control inspection.

15

Claim 3 (currently amended): The method of Claim 1 wherein the step of ~~receiving a vehicle for performing a government required inspection~~ comprises ~~receiving a vehicle for performing a~~ border crossing inspection.

20

Claim 4 (original): The method of Claim 1 wherein the step of installing the vehicle disablement system comprises:

electrically connect a radio signal receiver to a vehicle computer; and
programming the vehicle computer to disable the vehicle when a radio
signal is received or not received by the radio signal receiver.

25

Claim 5 (currently amended): A method for disabling a vehicle comprising the steps of:

electrically connecting a radio receiver to a vehicle ignition control
computer;

programming the vehicle ignition control computer to disable the vehicle

30

according to at least one of reception of a signal received from a radio

receiver and lack of reception of a signal received from a radio receiver.
~~when a radio signal is received or not received by the radio signal~~
receiver.

5 Claim 6 (original): The method of Claim 5 wherein the step of electrically
 connecting a radio receiver to a vehicle computer comprises connecting a
 radio receiver to a diagnostic port on a vehicle computer receiver.

 Claim 7 (original): The method of Claim 5 wherein the step of electrically
10 connecting a radio receiver to a vehicle computer comprises:
 detaching a vehicle interface harness from a vehicle interface connector;
 connecting a radio receiver to the vehicle interface connector; and
 attaching the vehicle interface harness to the radio receiver.

15 Claim 8 (original): The method of Claim 5 wherein the step of electrically
 connecting a radio receiver to a vehicle computer comprises integrating a
 radio receiver into a vehicle computer.

 Claim 9 (original): The method of Claim 5 wherein the step of
20 programming the vehicle computer comprises:
 attaching a programming device to a diagnostic port on the vehicle
 computer;
 conveying firmware to the vehicle computer capable of disabling the
 vehicle when a signal is received or not received from the radio receiver;
25 and
 storing said firmware in the vehicle computer.

 Claim 10 (original): The method of Claim 5 further comprising the steps of:
 programming the vehicle computer to disable the vehicle when the radio
30 receiver is electrically disconnected from the vehicle computer.

Claim 11 (currently amended): A vehicle disablement system comprising:
5 radio receiver capable of being electrically connected to a vehicle ignition
control computer; and
firmware, that when executed by a processor in the vehicle computer,
causes the processor to disable the vehicle when a signal is received or
not received from the radio receiver.

10

Claim 12 (original): The vehicle disablement system of Claim 11 wherein
the radio receiver comprises an interface capable of electrical connection to a
diagnostic port of a vehicle computer.

15 Claim 13 (original): The vehicle disablement system of Claim 11 wherein
the radio receiver comprises:
an interface capable of connecting to a vehicle interface connector; and
an interface capable of connecting to a vehicle interface harness.

20 Claim 14 (original): The vehicle disablement system of Claim 11 wherein
the radio receiver is integrated into a vehicle computer.

Claim 15 (original): The vehicle disablement system of Claim 11 wherein
the firmware further is capable of causing the processor to sense the
25 presence of the radio receiver and is further capable of causing the processor
to disable the vehicle when the radio receiver is not present.

Claim 16 (currently amended): A vehicle ignition control computer
comprising:
30 processor;

Appl. No. 10/620,307
Amendment Date: March 4, 2005
Reply to Office Action of October 5, 2004

memory; and
disablement firmware stored in said memory that, when executed by the
processor, at a minimum causes said processor to disable the vehicle
according to signal received from a radio receiver~~when a signal is~~
5 ~~received or not received from a radio receiver.~~

Claim 17 (currently amended): The vehicle computer of Claim 16 further
comprising a radio receiver capable of issuing a disable signal to the
processor according to at least one of reception of a radio signal and lack of
10 reception of a radio signal ~~when a radio signal is received or not received.~~